

**Amendments to the Claims:** This listing of claims will replace all prior versions, and listings, of claims in the application

Listing of Claims:

1. (Currently Amended) An introducer for deployment of an endoluminal device in a distal location inside a body lumen from a proximal location outside the body lumen, the introducer comprising:

a retrograde portion;

an anterograde portion, axially moveable relative to the retrograde portion, comprising a distal tip and an anterograde sheath attached proximally to the distal tip;

a shaft attached to the distal tip and extending concentrically through a central lumen defined by the anterograde portion and retrograde portion;

an endoluminal device mounted concentrically over the shaft in the central lumen and having a distal end contained by the anterograde portion and a proximal end contained by the retrograde portion positioned radially outward of the proximal end of the device; and

an inflatable balloon mounted radially outside the retrograde portion, the balloon positioned to anchor a proximal portion of the endoluminal device against the body lumen during deployment of the device.

2. (Original) The introducer of claim 1, wherein the retrograde portion comprises bilumen tubing having an external wall, an internal wall that defines the central lumen radially inward of the internal wall, and an annular lumen defined between the external wall and the internal wall, the annular lumen in fluid communication with the balloon, the balloon located radially outward of the external wall at or near a distal end of the retrograde portion.

3. (Original) The introducer of claim 1, wherein the endoluminal device has a length and the balloon has a length that is less than the endoluminal device length.

4. (Original) The introducer of claim 1, wherein the retrograde sheath and the anterograde portion axially abut one another.

5. (Original) The introducer of claim 1, wherein the retrograde portion extends over a longer portion of the endoluminal device than the anterograde sheath.

6. (Original) The introducer of claim 1, wherein the anterograde sheath extends over a longer portion of the endoluminal device than the retrograde portion.

7. (Original) The introducer of claim 1, wherein the anterograde sheath and the retrograde portion extend over essentially equal lengths of the endoluminal device.

8. (Original) The introducer of claim 1, wherein the shaft comprises one or more radiopaque markers.

9. (Original) The introducer of claim 1 further comprising at least a first radiopaque marker that marks the proximal end of the device.

10. (Original) The introducer of claim 9 further comprising a second radiopaque marker that marks the distal end of the device.

11. (Original) The introducer of claim 1, wherein the endoluminal device comprises a stent, graft, or a combination thereof.

12. (Original) The introducer of claim 1, wherein the endoluminal device comprises a vena cava filter.

13. (Original) The introducer of claim 1, wherein the endoluminal device comprises a stent-graft for repair of an abdominal aortic aneurysm.

14. (Original) The introducer of claim 1, wherein the endoluminal device is self-expanding.

15. (Original) The introducer of claim 1, wherein the endoluminal device is adapted for deployment in a location having a sensitive area located distally of the deployment location, the anterograde portion having a length sufficiently short to prevent intrusion of the anterograde portion into the sensitive area.

16. (Previously Presented) An introducer for deployment of a self-expanding endoluminal device in a distal location inside a body lumen from a proximal location outside the body lumen, the introducer comprising:

a retrograde portion having a distal end and comprising coaxial bilumen tubing having an external wall, an internal wall, a balloon located radially outward of the external wall at or near the retrograde portion distal end for anchoring the endoluminal device against the body lumen during deployment of the device from the device proximal end to the device distal end, a retrograde central lumen defined radially inward of the internal wall, and an annular lumen defined between the external wall and the internal wall, the annular lumen in fluid communication with the balloon;

an anterograde portion comprising a distal tip, an anterograde sheath attached proximally to the distal tip, and an anterograde central lumen defined radially inward of the anterograde sheath;

an endoluminal device mounted concentrically over the shaft in the retrograde and anterograde central lumens, the device distal end contained by the anterograde portion and the device proximal end contained by the retrograde portion, the retrograde portion having a length sufficient to be engaged by the balloon against the lumen wall; and

a shaft attached to the distal tip and extending concentrically through the anterograde and retrograde central lumens, the shaft comprising at least a first radiopaque marker that marks the proximal end of the endoluminal device and adapted for moving the anterograde portion relative to the retrograde portion.

17-22. (Cancelled)